



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES
AND CITIES OF THE UNITED STATES (untabulated).

ARIZONA.—Months of January, February, and March, 1909. Population 122,931. Total number of deaths from all causes 528, including typhoid fever 4, scarlet fever 8, diphtheria 9, tuberculosis 176.

Months of April, May, and June, 1909. Total number of deaths from all causes 537, including typhoid fever 7, measles 6, scarlet fever 1, diphtheria 5, tuberculosis 159.

Months of July, August, and September, 1909. Total number of deaths from all causes 680, including typhoid fever 26, measles 1, scarlet fever 1, diphtheria 6, tuberculosis 118, of which number 44 were reported as acquired in Arizona.

GEORGIA—*Macon*.—Month of February, 1910. Population 35,000. Total number of deaths from all causes 32, including tuberculosis 3.

ILLINOIS.—Month of January, 1910. Population 5,617,509. Total number of deaths from all causes 2,883, including diphtheria 40, tuberculosis 392. Cases reported: Smallpox 189 in 25 counties, diphtheria 174 in 44 counties.

MASSACHUSETTS—*Newton*.—Month of February, 1910. Population 38,919. Total number of deaths from all causes 44, including tuberculosis 5. Cases reported: Typhoid fever 3, measles 4, scarlet fever 9, diphtheria 6, tuberculosis 6.

MICHIGAN.—Month of January, 1910. Population 2,666,308. Total number of deaths from all causes 3,183, including typhoid fever 27, measles 22, scarlet fever 51, diphtheria 37, tuberculosis, pulmonary, 179.

MINNESOTA—*Stillwater*.—Month of February, 1910. Population, 12,318. Total number of deaths from all causes, 14. Cases reported: Typhoid fever 1, scarlet fever 6, diphtheria 1.

NEBRASKA—*Lincoln*.—Month of January, 1910. Population, 65,000. Total number of deaths from all causes, 38, including tuberculosis 4. Cases reported: Smallpox 4, scarlet fever 10, diphtheria 6.

NORTH CAROLINA.—Month of December, 1909. Reports from 64 towns having an aggregate estimated population of 416,256, show a total of 540 deaths, including typhoid fever 4, measles 6, scarlet fever 1, diphtheria 7, tuberculosis (pulmonary) 83.

Typhoid fever was reported present in 32 counties, smallpox in 31 counties, measles in 14 counties, scarlet fever in 25 counties, diphtheria in 42 counties.

NORTH DAKOTA.—Month of January, 1910. Population, 536,103. Total number of deaths from all causes, 214, including typhoid fever 2, scarlet fever 2, diphtheria 6, tuberculosis 1. Cases reported: Typhoid fever 40, smallpox 46, measles 35, scarlet fever 38, diphtheria 90, tuberculosis 9.

SOUTH CAROLINA—*Charleston*.—Month of February, 1910. Population, 57,593. Total number of deaths from all causes, 116, including typhoid fever 1, measles 4, diphtheria 1, tuberculosis 9. Cases reported: Typhoid fever 4, scarlet fever 3, diphtheria 4.

UTAH—*Salt Lake City*.—Month of January, 1910. Population, 85,000. Total number of deaths from all causes, 108, including typhoid fever 2, scarlet fever 3, diphtheria 3, tuberculosis 7. Cases reported: Typhoid fever 4, smallpox 35, measles 5, scarlet fever 102, diphtheria 15.

WISCONSIN.—Months of October, November, and December, 1909. Population, 2,356,874. Total number of deaths from all causes, 6,444, including typhoid fever 121, measles 8, scarlet fever 101, diphtheria 97, tuberculosis 579. Cases reported: Typhoid fever 319, smallpox 103, measles 94, scarlet fever 1,184, diphtheria 669, tuberculosis (pulmonary) 229.